
Centre No.		Surname	Initial(s)		
Candidate No.		Signature		- Inc	
	Paper Reference(4437/	<u></u>		Examiner's use	e only
	Lon	don Examinatio	ons IGCSE	Team Leader's u	ree onts
		ice (Double Award	Г	Totalii Ecadei 3 t	isc only
	Cher	nistry		Question Number	Leave Blank
	Paper	5H		1	
	His	gher Tier		2	
	`	ay 7 November 2006 –	Morning	4	
		1 hour 30 minutes	C		
	Materials Nil	required for examination Nil	uded with question papers	5 6 7	
				8	
In the boxes signature. The paper re. Answer ALI Show all the	ference is shown at the questions in the steps in any calculate	ntre number and candidate number, you he top of this page. Check that you he spaces provided in this question paperions and state the units.	ave the correct question pape	r. 10	
Calculators n	nay be used. n for Candidates	i			
The total mar e.g. (2). A Periodic Ta	rk for this paper is 9 able is given on page	0. The marks for parts of questions are 2. blank pages are indicated.	e shown in round brackets:		
Advice to C Write your a	Candidates aswers neatly and in	good English.		_	

This publication may be reproduced only in accordance with Edexcel Limited copyright policy. ©2006 Edexcel Limited.

 $\overset{\text{Printer's Log. No.}}{N23881A}$

W850/U4437/57570 3/3/3/4/4/400



Turn over



THE PERIODIC TABLE

0

9

Ŋ

ന

Group

Q

Period						•											ı		_
•							-:										.	4	
-							Hydrogen -											Helium 2	
						=						•							, .
	7												=	57	7	16	\$	8	
67	=												<u>m</u>	ပ	z	0	ш.	ž	
	Lithium 3												Boron	Carbon 6	Nitrogen 7	Oxygen 8	Fluorine 9	Neon 10	
	ឌ	<u> </u>											27	83	31	25	35.5	4	
ന	Na	M											₹	ഗ	_	ဟ	ರ	Ā	
	Sodium 11	Magnesium 12				-							Aluminium 13	Silicon 14	Phosphorus 15	Sulphur 16	Chlorine 17	Argon 18	
	88	40	45	84	52	25	55	26	59	29	63.5	65	92	73	75	٤	90	\$	
4	¥	င္မ	တ္တ	F	>	ర	Ā	æ	රි	ź	రె	Z	g	ලී	As	Se	à	궃	
	Potassium 19	Calcium 20	Scandium 21	Titanium 22	Vanadium 23	Chromium 24	Manganese 25	<u>ro</u>	Cobalt 27	Nickel 28	Copper 29	Zinc 30	Gallium 31	Germanium 32	Arsenic 33	Sefenium 34	Bromine 35	Krypton 36	
	88	88	8	91	93	8	86	Ď	103	106	108	112	115	119	122	128	127	131	,
2	2	ঠ	>	ŭ	£	Š	ည	2	듄	2	Ag	පි	드	Ş	S	<u>e</u>	_	×e	
	Rubidium 37	Strontium 38	Vitrium 39	Zirconium 40	Niobium 41	Molybdenum 42	Technetium 43	Ruthenium 44	Rhodium 45	Palladium 46	Silver 47	Cadmium 48	Indium 49	돈 않	Antimony 51	Tellurium 52	odine 53	Xenon 54	
	133	137	139	179	181	181	186	8	192	195	197	8	25	207	503	210	210	222	
9	ပ	Ba	2	Ï	٦a	>	æ	ő	<u>_</u>	ā	Ψ	£	F	ď	æ	9	₹	뜐	
	Caesium 55	Barium 56	Lanthanum 57	Hafmium 72	Tantalum 73	Tungsten 74	Rhenium 75	Osmium 76	Indium 77	Platinum 78	Gold 79	Mercury 80	Thallium 81	Lead 82	Bismuth 83	Polonium 84	Astatine 85	Radon 86	
	223	526	227													•			
7	ŭ	Ra	æ																
	Francium 87	Radium 88	Actinium 89																

Key

Relative atomic mass
Symbol
Name
Atomic number

N 2 3 8 8 1 A 0 2 2 0

SECTION A

(a)			
	(i)	Name the compound in brine that is the source of chlorine.	
			(1)
	(ii)	What method is used to obtain chlorine and sodium hydroxide from brine?	
			(1)
	(iii)	State one large-scale use of sodium hydroxide.	
			(1)
(b)	Wh	at colour is chlorine gas?	
	••••		(1)
(c)		np red litmus paper changes colour when placed in separate samples of chl sodium hydroxide.	, ,
(c)			, ,
(c)	and	sodium hydroxide.	, ,
(c)	and (i)	sodium hydroxide. State the colour of red litmus paper in chlorine gas.	orine
(c)	and (i)	State the colour of red litmus paper in chlorine gas.	(1)
(c)	and (i) (ii)	State the colour of red litmus paper in chlorine gas.	(1)
(c)	and (i) (ii)	State the colour of red litmus paper in chlorine gas. What property of chlorine is shown by this colour change?	orine
(c)	and (i) (ii)	State the colour of red litmus paper in chlorine gas. What property of chlorine is shown by this colour change?	(1)
(c)	and (i) (ii)	State the colour of red litmus paper in chlorine gas. What property of chlorine is shown by this colour change? State the colour of red litmus paper in sodium hydroxide solution.	(1)



(a)	Stat	e why these compounds are described as	
	(i)	saturated	
			(1)
	(ii)	hydrocarbons	
			 (1)
/ 1 \	CII		
(b)		4 and C ₄ H ₁₀ are members of the same homologous series. All members of the homologous series can be represented by a general formula.	the
	(i)	What is the general formula of this homologous series?	
			(1)
	(ii)	To which homologous series do CH ₄ and C ₄ H ₁₀ belong?	
			 (1)
	GH)	Cive two other features of members of the same homelessors socies	()
	(111)	Give two other features of members of the same homologous series.	
		1	•••••
		2	(2)
(c)	The	compound C_4H_{10} exists as isomers. What is meant by the term isomers ?	
` ,			
	*****		*****
	*****		(2)
		(Total 8 mar	·lze)

79 улд мора (

3.	The	Periodic Ta	able on pag	e 2 may be u	seful in answe	ring parts of th	is question.		blank
				•	re shown belov		1		
		Al	Cl ⁻	Mg	Mg^{2+}	Na ⁺	O ²⁻	nonaminanti di mananaman	
	(a)	Which one	of these is	formed by the	ne loss of one e	electron from a	n atom?		
			***************************************	•••••••••••				(1)	
	(b)	Which one	of these is	formed by tl	ne gain of two	electrons by an	atom?		
		***************************************	••••••	•••••	•••••	••••••	••••••	(1)	
	(c)	Which one	of these ha	as the same e	lectronic confi	guration as an	atom of argon	?	
		***************************************		••••••		••••••	•••••••	(1)	
	(d)	Which one	of these ha	as an electror	nic configuration	on of 2.8.2?			
				•••••••••••	•••••••••••			(1)	
	(e)	Which thre	ee of these	have the sam	e electronic co	nfiguration?			
				••••••••		•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	(1)	Q3
							(Total 5 n	narks)	
				i					

The eq	uation shows the formation of hydrogen chloride.
	$H_2 + Cl_2 \rightarrow 2HCl$ $\Delta H = -184 \text{ kJ}$
(a) (i)	What does the symbol ΔH represent?
	(1)
(ii)	ΔH is negative for this reaction. What does this indicate?
	(1)
(b) Dra	aw a dot and cross diagram to show the bonding in H ₂ .
/	(1)
(c) H ₂	molecules contain strong bonds. Explain why the boiling point of H ₂ is low.
••••	
	(2)
	student carries out a test to show that a solution of hydrogen chloride contains oride ions. First she adds dilute nitric acid.
(i)	Name the other solution she adds.
	(1)
(ii)	Describe what she observes.
	(1)
(iii) Complete the equation to show the reaction that occurs.
	+ HCl →+

(Total 9 marks)

TOTAL FOR SECTION A: 30 MARKS

SECTION B

5. The table gives some information about the elements in Group 7 of the Periodic Table.


Element	Melting point (°C)	Boiling point (°C)
fluorine	-220	-188
chlorine	-101	-35
bromine	- 7	
iodine	+114	+184
astatine		+337

(a)	(i)	Use the information in the table to predict the physical state of astatine at room temperature.
		(1)
	(ii)	Use the information in the table to predict a value for the boiling point of bromine.
		(1)
(b)		atoms of elements in Group 7 have seven electrons in their outer shell. When they ct they can form ions.
	(i)	What is the charge on the ions formed?
		(1)
	(ii)	Explain why the atoms form ions with this charge.
		(2)
(c)	Wh	nich element in Group 7 is the most reactive?
		(1)



place.
(i) Write the chemical equation for the reaction.
(2)
(ii) What is seen during the reaction?
(1)
(e) A compound contains 16.4% potassium, 30.0% chlorine and 53.6% iodine by mass. Calculate the empirical formula of the compound.
 (3)
(Total 12 marks)
,
· · · · · · · · · · · · · · · · · · ·

6. Aluminium is extracted from aluminium oxide by electrolysis. The diagram shows a cross-section through an electrolysis cell.



(a) Aluminium oxide has a melting point of over 2000 °C.

(i)

(ii)

Explain why obtaining molten aluminium oxide is difficult.
(1)
How does the use of cryolite help to overcome this difficulty?

110 11	4005	V.1.C	450	01 01)	01110	Terp to	0,010	 		
*******		*****	•••••	••••••	••••••		•••••	 *******	 ************	

										(2)

(b) The products of the electrolysis are oxygen and aluminium.

The ionic half-equation to show the formation of oxygen at the positive electrode is

$$2O^{2-} \rightarrow O_2 + 4e^-$$

Write the ionic half-equation to show the formation of aluminium at the negative electrode.

(2)



(c)	The electrolysis of aluminium oxide is a redox process. Use the equations in (b) to help you identify what has been oxidised. Explain your answer.
	Oxidised
	Explanation
	(2)
d)	Explain why the positive electrodes need to be replaced regularly.
	(3)
	(Total 10 marks)



7. Potassium carbonate, K₂CO₃, reacts with sulphuric acid, H₂SO₄.

$$K_2\mathrm{CO_3}(s) + \mathrm{H_2SO_4}(aq) \rightarrow K_2\mathrm{SO_4}(aq) + \mathrm{H_2O}(l) + \mathrm{CO_2}(g)$$

Dilute sulphuric acid is placed in a beaker. Solid potassium carbonate is added until no further reaction occurs.

(a) How can you tell that the reaction has stopped?

(1)

(b) (i) Calculate the relative formula mass, M_r , of potassium carbonate.

(1)

(ii) Calculate the amount, in moles, of potassium carbonate in 2.76 g.

(1)

(iii) Calculate the relative formula mass, M_r , of carbon dioxide.

(1)

(iv) Calculate the mass of carbon dioxide formed.

(1)

(v) Calculate the volume of this mass of carbon dioxide at room temperature and pressure (rtp).

The volume of one mole of any gas at rtp is 24 dm³.

(1)


rea	action contains
(i)	potassium ions
	Test
	Result
~* A A	(2)
(ii) sulphate ions
	Test
	Result
	(3)
	(Total 11 marks)

3. Crude oil is a complex mixture of different hydrocarbons. It is separated into useful fractions by fractional distillation. Short-chain hydrocarbons are used as fuels.
(a) Name the fraction that contains methane.
(1)
(b) Long-chain hydrocarbons are cracked to produce hydrocarbons with shorter chains.
(i) State one condition needed for cracking to occur.
(1)
(ii) Why are long-chain hydrocarbons available for cracking?
(1)
(c) Methane is used as a fuel. The combustion of methane is shown by the equation
$CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + 2H_2O(g)$
In this reaction the energy used to break bonds is less than the energy given out when new bonds are formed. What does this indicate about the reaction?
(1)
(d) When a hydrocarbon burns in a limited supply of oxygen, incomplete combustion occurs. One of the products is carbon monoxide.
(i) Write a chemical equation for the incomplete combustion of methane.
(2)
(ii) Why can incomplete combustion be dangerous?

(Total 8 marks)



9. The flow chart shows the steps in the industrial production of ammonia, NH₃, and nitric acid, HNO₃.



(a) (i) Name the raw material from which hydrogen is obtained.

(1)

(ii) Write a chemical equation to show how hydrogen is obtained from this raw material.

(2)	1

(iii) Name the catalyst used in the production of ammonia.

	•••
(1)	

(b) During the conversion of ammonia into nitric acid, nitrogen dioxide, NO₂, is made. Nitrogen dioxide can undergo the following reaction.

$$2NO_2(g) \rightleftharpoons N_2O_4(g)$$
 $\Delta H = -57 \text{ kJ/mol}$

This reaction is reversible. A dynamic equilibrium is established.

(i) What is meant by the term **dynamic equilibrium**?

•••••••••••	•••••	 •••••••••••••••••••••••••••••••••••••••
***************************************	•••••	

(2)

(ii) What happens to the amount of $N_2O_4(g)$ in the mixture at equilibrium when the pressure is increased?

(1)

	(iii)	What happens to the amount of $N_2O_4(g)$ in the mixture at equilibrium when the temperature is increased?	Leave blank
(c)	(i)	Why is it important that oxides of nitrogen are not allowed to escape into the atmosphere?	
	(ii)	Describe two problems that can result.	
	(11)	1	
		2	
	•	(2)	Q9
		(Total 11 marks)	



Graphite can be used as a lubricant. (a) Describe, without drawing a diagram, the structure of diamond. Include the number of atoms to which each carbon atom is bonded and how the atoms are arranged. Explain how this structure relates to the use of diamond in cutting. (3) (b) Describe, without drawing a diagram, the structure of graphite. Include the number of atoms to which each carbon atom is bonded and how the atoms are arranged. Explain how this structure relates to the use of graphite as a lubricant
(b) Describe, without drawing a diagram, the structure of graphite. Include the number of atoms to which each carbon atom is bonded and how the atoms
(b) Describe, without drawing a diagram, the structure of graphite. Include the number of atoms to which each carbon atom is bonded and how the atoms
(b) Describe, without drawing a diagram, the structure of graphite. Include the number of atoms to which each carbon atom is bonded and how the atoms
(b) Describe, without drawing a diagram, the structure of graphite. Include the number of atoms to which each carbon atom is bonded and how the atoms
(b) Describe, without drawing a diagram, the structure of graphite. Include the number of atoms to which each carbon atom is bonded and how the atoms
(b) Describe, without drawing a diagram, the structure of graphite. Include the number of atoms to which each carbon atom is bonded and how the atoms
(b) Describe, without drawing a diagram, the structure of graphite. Include the number of atoms to which each carbon atom is bonded and how the atoms
(3)
(e) Explain why both diamond and graphite have high sublimation points.
(2)